

राष्ट्रिय प्राकृतिक स्रोत तथा वित्त आयोग सिंहदरबार, काठमाडौं

क्याटलग शपिङ्ग विधिबाट सवारी साधन खरिद सम्बन्धी सिलबन्दी प्रस्ताव आह्वानको सूचना

(प्रथम पटक सचना प्रकाशित मितिः २०७६।४।२९)

यस आयोगको लागि आवश्यक देहाय बमोजिमका सवारी साधन सार्वजिनक खिरद ऐन, २०६३ (पिहलो संशोधन २०७३) को दफा द को उपदफा (१)क (८) तथा सार्वजिनक खिरद नियमावली, २०६४ (चौथो संशोधन २०७३) को नियम ३१ख बमोजिम उत्पादक कम्पनी वा सो को आधिकारिक विकेताहरु बीच प्रतिस्पर्धा गराउने (क्याटलग सिपङ्ग) विधिबाट खिरद गर्नुपर्ने भएकोले ईजाजत प्राप्त उत्पादक कम्पनी वा त्यसको अधिकारिक विकेताहरुले आआफ्नो फर्म दर्ता प्रमाणपत्र, मु.अ.कर दर्ता प्रमाणपत्र, एजेन्सी दर्ता प्रमाणपत्र, Manufacturer's Letter of Authorization, खिरद कारवाहीमा भाग लिन अयोग्य नभएको, प्रस्तावित खिरद कारवाहीमा आफ्नो स्वार्थ नबाझिएको र सम्बन्धित पेशा वा व्यवशाय सम्बन्धी कसूरमा आफूले सजाय नपाएको भनी लिखित रुपमा गरेको घोषणा र आ.व. २०७४/७५ को कर चुक्ता प्रमाणपत्रको प्रमाणित प्रतिलिपिहरु समावेश गरी सार्वजिनक खिरद नियमावली, २०६४ को नियम ३१ख को उपनियम (२) अनुसार उत्पादनको आधिकारिक स्पेसीफिकेशन, गुणस्तर, मूल्य र सुविधा सिहतको विवरण (क्याटलग वा ब्रोसर) संलग्न राखी मिति २०७६।५।४ गते दिउसो १ बजे भित्र यस आयोगमा सिलबन्दी प्रस्ताव दर्ता गर्नु हुन सम्बन्धित उत्पादक कम्पनी वा सो को अधिकारिक विकेताहरुको जानकारीका लागि यो सूचना प्रकाशन गरिएको छ । मिति २०७६।५।४ गते दिउसो १ बजे भित्र यस आयोगमा दर्ता हुन आएका सिलबन्दी प्रस्तावहरु सोहि दिन दिउसो २ बजे खोलिने व्यहोरा समेत यसै सूचनाद्वारा जानकारी गराईन्छ । खिरद सम्बन्धी थप जानकारीको लागि यस आयोगको खिरद इकाईमा सम्पर्क राखनुहुन समेत सुचित गरिन्छ । पेश हुन आएका प्रस्तावहरु स्वीकृत गर्ने वा अस्वीकृत गर्ने एवम् खिरद प्रक्रिया जुनसुकै बखत रद्ध गर्ने अधिकार यस आयोगमा निहित हुनेछ ।

आवश्यक सवारी साधनको विवरण

G	911/14 (11() (14(14()11()))						
S.	Type of Vehicle		Major specification	No. of			
No.	No. Type of vehicle		Major specification	vehicle			
	Motorcycle	1.	Engine: 4-Stroke, 125cc (±5 cc), air cooled petrol engine,				
			developing Maximum rated power output not less than 10 PS				
1			at governed RPM & Torque not less than 10 Nm.	3 (Three)			
		2.	Transmission: Chain Drive, Manual shift at least 4 speed.				
		3.	Ground clearance: minimum 150 mm.				
		4.	Brake: Front: Disc, Rear: Drum.				
	Scooter	1.	Engine : Four Stroke, Petrol engine Minimum 110cc (±5 cc)				
			developing Maximum net power not less than 7 PS at governed				
2			RPM and Maximum torque output not less than 8 Nm	4 (Four)			
		2.	Transmission: Automatic/Gear Less				
		3.	Ground clearance: not less than 125 mm				
		4.	Brake: Front: Disc/Drum, Rear: Drum.				



Technical Specification for Supply and Delivery of Motor bike Qty: 3 Units

	_	ion for Supply and Delivery of Motor bike	Qty: 3 Units
S. No.	Criteria	Required Specification	Offered Specification
1	General	Motorcycle of sturdy design suitable for normal and rough road driving in Nepal.	Make:
			Model:
			Year:
2	Engine	4-Stroke, 125 cc (± 5 cc), air cooled Petrol engine,	Make:
		developing Maximum rated power output not less	
		than 10 PS at governed RPM & Torque not less than	Model:
		10 Nm , shall fully equipped with accessories for	
		efficient full load operation of the Motorcycle.	Year:
3	Emission	The Emission Standard of the vehicle should be of	
	Standard	Nepal Vehicle Mass Emission Standard -2069	
		(EURO-III), Which is to be certified by Department of	
		Transport Management, Nepal	
4	Gauges	To include speedometer, fuel etc. as necessary for	
		efficient operation and maintenance.	
5	Clutch	Multi plate wet Plate	
6	Transmission	Chain Drive, Manual shift at least 4 speed	
7	Ground	High Ground clearance preferred, minimum 150 mm.	
	clearance		
8	Suspension	Front; Telescopic hydraulic shock absorbers	
	1	Rear: Monoshock/ Double hydraulic shock.	
9	Tires	Standard Size, factory fitted tubeless	
10	Starting	Self starter/Kick Starter	
11	Brakes	Front: Disc	
11	Brakes	Rear: Drum	
12	Essential	A. Standard Helmet	
12	accessories	B. Head light, tail and rear light,	
	decessories	C. Turn signals	
		D. Speedometer	
		E. Odometer/Tripmeter	
		F. Helmet Lock	
		G. Leg guard	
		Shall be equipped with all Standard Accessories	
		offered in standard model	
13	Manuals	Copy of the Operator's and Owner's instructions in	
13	111difddis	English shall be supplied with each vehicle.	
14	Color	Standard color	
15	Proven	The Motorcycle offered shall be under standard	
10		i incitation year orienta shan or allact standard	1
	Performance	production by the manufacturer and should be current	
16	Performance	production by the manufacturer and should be current model not earlier than year 2017.	
16		production by the manufacturer and should be current model not earlier than year 2017. Manufacturer shall provide a minimum of One year	
	Performance Warranty	production by the manufacturer and should be current model not earlier than year 2017. Manufacturer shall provide a minimum of One year warranty after acceptance.	
17	Performance Warranty Fuel Tank	production by the manufacturer and should be current model not earlier than year 2017. Manufacturer shall provide a minimum of One year warranty after acceptance. Not less than 10 Litres.	
	Performance Warranty	production by the manufacturer and should be current model not earlier than year 2017. Manufacturer shall provide a minimum of One year warranty after acceptance. Not less than 10 Litres. The motorcyles, 3 units shall be delivered to:	
17	Performance Warranty Fuel Tank	production by the manufacturer and should be current model not earlier than year 2017. Manufacturer shall provide a minimum of One year warranty after acceptance. Not less than 10 Litres.	



I CCIII	ncai specificat	ion For Supply and Delivery of Scooter	Qty: 4 units
1	General	Scooter of sturdy design, suitable for driving on rough road.	Make: Model:
2	Engine	Four Stroke, Petrol engine Minimum 110 ± 5 CC developing Maximum net power not less than 7 PS at governed RPM and Maximum torque output not less than 8 Nm , for efficient running of motorcycle, Starting system with self & kick.	Make: Model:
3	Transmission	Automatic/Gear Less	
4	Brake	Rear : Drum Front : Disc/Drum	
5	Frame/ Suspension	Sturdy frame and suspension with telescopic Hydraulic Gas filled Hydraulic shock absorbers. Ground Clearance not less than 125 MM	
6	Essential Accessories	 Head light, rear and turn signal lights Two rear view mirrors Safety lock for steering Helmet 	
7	Instructions	All signs and instructions in the equipment shall be in English.	
8	Manuals	One copy of the Operator's and Owner's Instructions and maintenance manual in English shall be supplied with each equipment.	
9	Tools	A set of tools as required for general maintenance shall be supplied with in a lockable tool box for each unit.	
10	Proven performance	 The Scooter offered shall be a current model under standard production by the manufacturer for at least one year. The bidder shall provide the manufacturer's data of the performance of the unit to include the fuel consumption, performance curve of the engine etc. 	
11	Warranty& Service facilities	Manufacturer shall provide a minimum one (1) year warranty & Minimum Five (5) times free service after delivery.	
12	Emission Standard	The Emission Standard of the vehicle should be capable of meeting applicable "Nepal Vehicle Mass Emission Standard 2069" which must be certified by Department of Transport Management, Nepal.	
13	Delivery	The scooter, 4 units shall be delivered to: National Natural Resources and Fiscal Commissions Singhadarbar, Kathmandu	